



ON SOLVING A QUADRATIC DIOPHANTINE EQUATION INVOLVING ODD POWERS OF 17

J. López-Bonilla* & R. Sivaraman**

* ESIME-Zacatenco, Instituto Politécnico Nacional, Edif. 4, 1er. Piso, Col. Lindavista CP 0778, CDMX, México

** Associate Professor, Department of Mathematics, Dwaraka Doss Goverdhan Doss Vaishnav College, Chennai, Tamilnadu, India

Cite This Article: J. López-Bonilla & R. Sivaraman, "On Solving a Quadratic Diophantine Equation Involving Odd Powers of 17", International Journal of Scientific Research and Modern Education, International Peer Reviewed - Refereed Research Journal, Volume 9, Issue 1, January - June, Page Number 18-20, 2024.

Copy Right: © R&D Modern Research Publication, 2024 (All Rights Reserved). This is an Open Access Article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Abstract:

Diophantine Equations named after ancient Greek mathematician Diophantus, plays a vital role not only in number theory but also in several branches of science. In this paper, we will solve one of the quadratic Diophantine equations where the right hand side are odd positive integral powers of 17 and provide its complete solutions. The method adopted to solve the given equation is using the concept of polar form of a particular complex number. This concept can be generalized for solving similar equations.

Key Words: Quadratic Diophantine Equation, Polar Form, Euler's Formula, Positive Integer Solutions.

1. Introduction:

Diophantine Equations were equations whose solutions must be in integers. Since the solutions are integers and most often positive integers, such equations have more practical applications compared to other equations in mathematics. In this paper, we will solve one of the quadratic Diophantine equations involving odd positive integral powers of 17 in a novel way and present its complete solution in a compact form.

2. Quadratic Diophantine Equation

In this paper, we will try to solve the quadratic Diophantine equation $3x^2 + 5y^2 = 17^{2k-1}$ (1), where x, y, k are positive integers. We will try to obtain a general solution of (1) in closed form. For doing this, we will make use of a particular complex number and a fabulous formula proposed by the greatest mathematician of all times, Leonhard Euler.

3. Solutions to the Equation:

We will try to obtain all positive integer solutions (x, y) satisfying (1) for any given natural number n . Now, for positive integer n , we will try to determine the polar form of $(\sqrt{5} + i2\sqrt{3})^n$

$$\sqrt{5} + i2\sqrt{3} = r(\cos \theta + i \sin \theta) \Rightarrow r \cos \theta = \sqrt{5}, r \sin \theta = 2\sqrt{3}$$

From this, we obtain $r^2 = 5 + 12 = 17 \Rightarrow r = \sqrt{17}, \theta = \tan^{-1}\left(\frac{2\sqrt{3}}{\sqrt{5}}\right)$ (2)

Hence the polar form of $(\sqrt{5} + i2\sqrt{3})^n$ is given by

$$(\sqrt{5} + i2\sqrt{3})^n = 17^{n/2} e^{i n \tan^{-1}\left(\frac{2\sqrt{3}}{\sqrt{5}}\right)} \quad (3)$$

Now using Euler's Formula in (3), we obtain

$$(\sqrt{5} + i2\sqrt{3})^n = 17^{n/2} \left[\cos\left(n \tan^{-1}\left(\frac{2\sqrt{3}}{\sqrt{5}}\right)\right) + i \sin\left(n \tan^{-1}\left(\frac{2\sqrt{3}}{\sqrt{5}}\right)\right) \right] \quad (4)$$

If we now assume $\sqrt{5}y + i\sqrt{3}x = (\sqrt{5} + i2\sqrt{3})^n$ (5) then $\sqrt{5}y - i\sqrt{3}x = (\sqrt{5} - i2\sqrt{3})^n$ (6)

Now multiplying (5) and (6), we get

$$(\sqrt{5}y + i\sqrt{3}x) \times (\sqrt{5}y - i\sqrt{3}x) = (\sqrt{5} + i2\sqrt{3})^n \times (\sqrt{5} - i2\sqrt{3})^n$$

Simplifying, we obtain $3x^2 + 5y^2 = 17^n$ which is (1), the original problem if n is odd. Thus the solutions to (1) are given by equating real and imaginary parts of (5). Now using (4) in (5), and for $n \geq 1$ we get

$$\sqrt{3}x = 17^{n/2} \sin\left(n \tan^{-1}\left(\frac{2\sqrt{3}}{\sqrt{5}}\right)\right) \Rightarrow x = \frac{17^{n/2}}{\sqrt{3}} \sin\left(n \tan^{-1}\left(\frac{2\sqrt{3}}{\sqrt{5}}\right)\right) \quad (7)$$

$$\sqrt{5}y = 17^{n/2} \cos \left(n \tan^{-1} \left(\frac{2\sqrt{3}}{\sqrt{5}} \right) \right) \Rightarrow y = \frac{17^{n/2}}{\sqrt{5}} \cos \left(n \tan^{-1} \left(\frac{2\sqrt{3}}{\sqrt{5}} \right) \right) \quad (8)$$

Now from (7) and (8), if we consider $n = 2k - 1$ for $k = 1, 2, 3, 4, 5, \dots$ then the ordered pairs $(|x|, |y|)$ would provide all positive integer solutions to the given Quadratic Diophantine Equation $3x^2 + 5y^2 = 17^{2k-1}$ for any natural number k .

4. Conclusion:

Considering a quadratic Diophantine equation $3x^2 + 5y^2 = 17^{2k-1}$ we have used a novel method to solve it completely in this paper. In particular, equations (7) and (8) provide all required positive integer solutions to the given equation. Further, by considering the polar form of a particular complex number, we have obtained nice closed expressions for the given equations. In fact, from (7) and (8), we notice that for $k \geq 1$, all positive integer solutions to $3x^2 + 5y^2 = 17^{2k-1}$ are given by

$$x = \frac{17^{(2k-1)/2}}{\sqrt{3}} \left| \sin \left((2k-1) \tan^{-1} \left(\frac{2\sqrt{3}}{\sqrt{5}} \right) \right) \right|, y = \frac{17^{(2k-1)/2}}{\sqrt{5}} \left| \cos \left((2k-1) \tan^{-1} \left(\frac{2\sqrt{3}}{\sqrt{5}} \right) \right) \right| \quad (9)$$

Thus, for $k = 1, 2, 3, 4, 5, 6, \dots$ all positive integer solutions to $3x^2 + 5y^2 = 17^{2k-1}$ are given respectively by (2,1); (6,31); (662,145); (7534,6929); (85842,138911); (3379114,57727); \dots

Thus the values of x and y from expression (9) provides all possible positive integer solutions to the given quadratic Diophantine equation $3x^2 + 5y^2 = 17^{2k-1}$. We can adopt similar methods to solve other types of quadratic Diophantine equations using polar forms of suitable complex numbers.

5. References:

1. Andreescu, T., D. Andrica, and I. Cucurezeanu, An introduction to Diophantine equations: A problem-based approach, Birkhäuser Verlag, New York, 2010.
2. Andrews, G. E. 1971, Number theory, W. B. Saunders Co., Philadelphia, Pa.-London- Toronto, Ont.
3. Isabella G. Bashmakova, Diophantus and Diophantine Equations, The Mathematical Association of America, 1998.
4. R. Sivaraman, J. Suganthi, A. Dinesh Kumar, P. N. Vijayakumar, R. Sengothai, On Solving an Amusing Puzzle, Specialusis Ugdymas, Special Education, Vol 1, No. 43, 2022, 643 - 647.
5. R. Sivaraman, R. Sengothai, P. N. Vijayakumar, Novel Method of Solving Linear Diophantine Equation with Three Variables, Stochastic Modeling and Applications, Vol. 26, No. 3, Special Issue - Part 4, 2022, 284 - 286.
6. R. Sivaraman, On Solving Special Type of Linear Diophantine Equation, International Journal of Natural Sciences, Volume 12, Issue 70, 38217 - 38219, 2022.
7. R. Sivaraman, Recognizing Ramanujan's House Number Puzzle, German International Journal of Modern Science, 22, November 2021, pp. 25 - 27.
8. R. Sivaraman, Bernoulli Polynomials and Ramanujan Summation, Proceedings of First International Conference on Mathematical Modeling and Computational Science, Advances in Intelligent Systems and Computing, Vol. 1292, Springer Nature, 2021, pp. 475 - 484.
9. R. Sengothai, R. Sivaraman, Solving Diophantine Equations using Bronze Ratio, Journal of Algebraic Statistics, Volume 13, No. 3, 2022, 812 - 814.
10. P. N. Vijayakumar, R. Sivaraman, On Solving Euler's Quadratic Diophantine Equation, Journal of Algebraic Statistics, Volume 13, No. 3, 2022, 815 - 817.
11. R. Sivaraman, Generalized Lucas, Fibonacci Sequences and Matrices, Purakala, Volume 31, Issue 18, April 2020, pp. 509 - 515.
12. A. Dinesh Kumar, R. Sivaraman, Asymptotic Behavior of Limiting Ratios of Generalized Recurrence Relations, Journal of Algebraic Statistics, Volume 13, No. 2, 2022, 11 - 19.
13. P. Senthil Kumar, R. Abirami, A. Dinesh Kumar, Fuzzy model for the effect of rhIL6 Infusion on Growth Hormone, International Conference on Advances in Applied Probability, Graph Theory and Fuzzy Mathematics, Vol. 252, 2014, pp. 246 - 252
14. P. Senthil Kumar, A. Dinesh Kumar, M. Vasuki, Stochastic model to find the effect of gallbladder contraction result using uniform distribution, Arya Bhatta Journal of Mathematics and Informatics, Vol 6, No. 2, 2014, pp. 323 - 328
15. R. Sivaraman, Pythagorean Triples and Generalized Recursive Sequences, Mathematical Sciences International Research Journal, Vol. 10, No. 2, July 2021, pp. 1 - 5
16. R. Sivaraman, Sum of powers of natural numbers, AUT Research Journal, Volume XI, Issue IV, April 2020, pp. 353 - 359.

17. A. Dinesh Kumar, R. Sivaraman, On Some Properties of Fabulous Fraction Tree, Mathematics and Statistics, Vol. 10, No. 3, (2022), pp. 477 - 485
18. A. Dinesh Kumar, R. Sivaraman, Analysis of Limiting Ratios of Special Sequences, Mathematics and Statistics, Vol. 10, No. 4, (2022), pp. 825 - 832